

**Northern Lighthouse Board**



**Aton Reporting Online Website**

**User Guide**

**Revision 3. December 2015**

## **CONTENTS**

<b>Section</b>	<b>Section Title</b>	<b>Page</b>
<b>1</b>	<b>Logging in</b>	<b>2</b>
<b>2</b>	<b>Exploring the home page</b>	<b>3</b>
<b>3</b>	<b>The Aton page</b>	<b>3</b>
<b>4</b>	<b>The Aton page - working with grid records</b>	<b>4 - 7</b>
<b>5</b>	<b>View an Aton record</b>	<b>8</b>
<b>6</b>	<b>Application to Establish an Aton</b>	<b>9</b>
<b>7</b>	<b>Application to Alter an Aton</b>	<b>10</b>
<b>8</b>	<b>Application to discontinue an Aton</b>	<b>10</b>
<b>9</b>	<b>Print a blank application form to establish/alter an Aton</b>	<b>10</b>
<b>10</b>	<b>Applications</b>	<b>11</b>
<b>11</b>	<b>Failure Reports</b>	<b>12</b>
<b>12</b>	<b>Reports</b>	<b>13-14</b>
<b>13</b>	<b>Support</b>	<b>15</b>

## 1. Logging In

- The Website can be found at <http://nlbhq.nlb.org.uk/LatonsOnline>
- NLB administrators will issue Log-In credentials to approved Website users
- Please click on the 'Terms of Use' link and read the terms carefully before using the website.
- Enter your issued login credentials and click on the "Log in" button, as shown below



- If you experience any problems logging in, use the 'Contact Us' button to Email the NLB Navigation Department. For address and phone number details, click on the 'About' button. The following screen will be displayed.



## 2. Exploring the Home Page

ATON REPORTING ONLINE

Having Problems? [Email Support](#) Download the users guide [here](#)

Aton Applications Failure Reports Reports Log Out About

Welcome

You have logged in successfully as : demouser ← Your login name displayed

By logging in you are accepting the [Terms of Use](#) [Contact Us](#)

Northern Lighthouse Board,84 George Street, Edinburgh, EH2 3DA,Tel: +44 131 4733100

- All Aton Reporting Online functions are accessed using the top menu bar comprising 'Aton', 'Applications', 'Failure Reports', and 'Reports'
- To exit the site, click on 'Log Out'

## 3. The Aton Page

- Click on the 'Aton' button on the top menu bar.
- The 'Aton' page is displayed, listing all the AtoN records for the logged in user's organisation and any other organisation in the logged in user's organisation jurisdiction
- Use the 'Legend' button on the main menu to interpret the specific colours applied to the grid records.

ATON REPORTING ONLINE

Having Problems? [Email Support](#) Download the users guide [here](#)

Aton Applications Failure Reports Reports Log Out About

[View Aton Details](#) [Establish an Aton](#) [Alter selected Aton](#) [Disestablish selected Aton](#) [Print Blank Form](#) [Legend](#) Aton

Search for  in (All Fields) Search Clear Filter LLA AtoN

Drag a column header here to group by that column

AtoN Number	ALLFS No.	Aton Name	Aton Type	AtoN Class Name	Longitude	Latitude	IALA Category	Organisation
1000.15	A1000.15	Demo Leading Lig	Leading Light	LLA	002°04.220'W	55°50.550'N	CAT 1	DEMO ORGANISATION
1000.25	A1000.25	Demo Leading Lig	Leading Light	LLA	002°04.230'W	55°50.540'N	CAT 1	DEMO ORGANISATION
1000.3B		Demo Buoy No. 1	Lit Buoy	LLA	003°01.470'W	56°01.040'N	CAT 2	DEMO ORGANISATION
1000.35B		Demo Buoy No. 2	Lit Buoy	LLA	003°03.080'W	56°02.175'N	CAT 2	DEMO ORGANISATION
1010	A1010	Demo Sector Lig	Sector Light	LLA	002°06.125'W	56°02.455'N	CAT 1	DEMO ORGANISATION
1000.5A		Demo Buoy No. 2	AIS	LLA	003°03.080'W	56°02.175'N	CAT 3	DEMO ORGANISATION
1012C		Demo Cable Marl	Cable Marker Bo	LLA	003°05.342'W	56°04.123'N	CAT 3	DEMO ORGANISATION
1014.25	A1014.25	Demo Light	Light	LLA	003°05.200'W	56°02.784'N	CAT 2	DEMO ORGANISATION
		Jon 1	Light	LLA			CAT 1	DEMO ORGANISATION

Pages: 1

By logging in you are accepting the [Terms of Use](#) [Contact Us](#)

Northern Lighthouse Board,84 George Street, Edinburgh, EH2 3DA,Tel: +44 131 4733100

#### 4. The Aton Page – Working with Grid Records

- 
- **Column width:**  
Column Width is adjusted by hovering your cursor over the column divider and clicking and sliding to the preferred size.
- **Ordering Records**  
Column order can be changed by clicking and dragging column headers to a new position
- **Sorting Records**  
To sort the data on a selected column, click on the column header. To reverse the sort order, click on the same header again.
- **Grouping Records**  
To group your records by a selected column, click on the column header and drag the column header into the grey space above the grid. In the illustrated example the selected column is 'IALA Category'.

ATON REPORTING ONLINE

Having Problems? [Email Support](#) Download the users guide [here](#)

Aton Applications Failure Reports Reports Log Out About

View Aton Details Establish an Aton Alter selected Aton Disestablish selected Aton Print Blank Form Legend Aton

Search for  in (All Fields) Search Clear Filter LLA AtoN

Drag a column header here to group by that column

Click and Drag → IALA Category

Aton Number	ALLFS No.	Aton Name	Aton Type	Aton Class Name	Longitude	Latitude	IALA Category	Organisation
1010	A1010	Demo Sector Light	Sector Light	LLA	002°06.125'W	56°02.455'N	CAT 1	DEMO ORGANISA
		Jon 1	Light	LLA			CAT 1	DEMO ORGANISA
1000.15	A1000.15	Demo Leading Light	Leading Light	LLA	002°04.220'W	55°50.550'N	CAT 1	DEMO ORGANISA
1000.25	A1000.25	Demo Leading Light	Leading Light	LLA	002°04.230'W	55°50.540'N	CAT 1	DEMO ORGANISA
1014.25	A1014.25	Demo Light	Light	LLA	003°05.200'W	56°02.784'N	CAT 2	DEMO ORGANISA
1000.35B		Demo Buoy No. 2	Lit Buoy	LLA	003°03.080'W	56°02.175'N	CAT 2	DEMO ORGANISA
1000.3B		Demo Buoy No. 1	Lit Buoy	LLA	003°01.470'W	56°01.040'N	CAT 2	DEMO ORGANISA
1012C		Demo Cable Marker	Cable Marker B	LLA	003°05.342'W	56°04.123'N	CAT 3	DEMO ORGANISA
1000.5A		Demo Buoy No. 2	AIS	LLA	003°03.080'W	56°02.175'N	CAT 3	DEMO ORGANISA

Pages : 1

By logging in you are accepting the Terms of Use Contact Us

Northern Lighthouse Board,84 George Street, Edinburgh, EH2 3DA.Tel: +44 131 4733100

- The image below shows the Aton grid list grouped by IALA Category.

ATON REPORTING ONLINE

Having Problems? [Email Support](#) Download the users guide [here](#)

Aton Applications Failure Reports Reports Log Out About

View Aton Details Establish an Aton Alter selected Aton Disestablish selected Aton Print Blank Form Legend Aton

Search for  in (All Fields) Search Clear Filter LLA AtoN

IALA Category

- IALA Category : CAT 1 (4)
- IALA Category : CAT 2 (3)
- IALA Category : CAT 3 (2)

Pages : 1

By logging in you are accepting the Terms of Use Contact Us

Northern Lighthouse Board,84 George Street, Edinburgh, EH2 3DA.Tel: +44 131 4733100

- Click on the '+' icon on each grouping to expand the group and show individual Aton records

ATON REPORTING ONLINE ? Having Problems? [Email Support](#) Download the users guide [here](#)

Aton Applications Failure Reports Reports Log Out About

View Aton Details Establish an Aton Alter selected Aton Disestablish selected Aton Print Blank Form Legend Aton

Search for  in (All Fields) Search Clear Filter LLA AtoN

IALA Category

IALA Category - CAT 1 (4)

AtoN Number	ALLFS No.	Aton Name	Aton Type	AtoN Class Name	Longitude	Latitude	Organisation
1010	A1010	Demo Sector Light	Sector Light	LLA	002°06.125'W	56°02.455'N	DEMO ORGANISA
		Jon 1	Light	LLA			DEMO ORGANISA
1000.15	A1000.15	Demo Leading Light	Leading Light	LLA	002°04.220'W	55°50.550'N	DEMO ORGANISA
1000.25	A1000.25	Demo Leading Light	Leading Light	LLA	002°04.230'W	55°50.540'N	DEMO ORGANISA

IALA Category - CAT 2 (3)  
IALA Category - CAT 3 (2)

Pages : 1

By logging in you are accepting the [Terms of Use](#) Contact Us

Northern Lighthouse Board, 84 George Street, Edinburgh, EH2 3DA, Tel: +44 131 4733100

- Filtering Records**

Users can filter Aton records to create specific data views. Click on the filter funnel icon on a column header to display all the available filtering options for that column

Aton Applications Failure Reports Reports

View Aton Details Establish an Aton Alter selected Aton Disestablish selected Aton

Search for  in (All Fields) Search Clear

Drag a column header here to group by that column

AtoN Number	ALLFS No.	Aton Name	Aton Type	AtoN Class Name
1000.15	A1000.15	Demo Leading Light	Leading Light	LLA
1000.25	A1000.25	Demo Leading Light	Leading Light	LLA

- A list of all values that the column can be filtered on is displayed. Select the value required and the grid will display only records containing the selected value. In the following example, Aton Type 'Leading Light' is selected.

Aton Applications Failure Reports Reports

View Aton Details Establish an Aton Alter selected Aton Disestablish selected Aton

Search for in (All Fields) Search Clear

Drag a column header here to group by that column

AtoN Number	ALLFS No.	Aton Name	Aton Type	AtoN Class Name	Longitude
1000.15	A1000.15	Demo Leading Lig	(All)		002°04.220'W
1000.25	A1000.25	Demo Leading Lig	(Empty)		002°04.230'W
1000.3B		Demo Buoy No. 1	(NonEmpty)		003°01.470'W
1000.35B		Demo Buoy No. 2	Leading Light		003°03.080'W
1000.5A		Demo Buoy No. 2	Lit Buoy		003°03.080'W
1012C		Demo Cable Mark	AIS		003°05.342'W
1014.25	A1014.25	Demo Light	Cable Marker Board		003°05.200'W
1010	A1010	Demo Sector Light	Light		002°06.125'W
		Jon 1	Sector Light	LLA	

← Select

- The grid displays a list of filtered Aton records of type 'Leading Light' only.

ATON REPORTING ONLINE

Having Problems? Email Support Download the users guide here

Aton Applications Failure Reports Reports Log Out About

View Aton Details Establish an Aton Alter selected Aton Disestablish selected Aton Print Blank Form Legend Aton

Search for in (All Fields) Search Clear Filter LLA AtoN

Drag a column header here to group by that column

AtoN Number	ALLFS No.	Aton Name	Aton Type	AtoN Class Name	Longitude	Latitude	IALA Category	Organisation
1000.15	A1000.15	Demo Leading Lig	Leading Light	LLA	002°04.220'W	55°50.550'N	CAT 1	DEMO ORGANISA
1000.25	A1000.25	Demo Leading Lig	Leading Light	LLA	002°04.230'W	55°50.540'N	CAT 1	DEMO ORGANISA

Pages : 1

By logging in you are accepting the Terms of Use Contact Us

Northern Lighthouse Board,84 George Street, Edinburgh, EH2 3DA,Tel: +44 131 4733100

- To clear the filter, select the same filter icon on the filtered column and select 'All' All Aton records will be displayed. Users can apply several filters to a grid. Note that all filters must be individually cleared to view all Aton records.

- Grid Searches:**

Users can use the 'Search' function to locate specific records in the grid. Enter your search criteria text in the 'Search For' field, then select the column in which to search from the 'In' drop list. The default is 'All Fields' so the search will apply to all fields in the grid if left at the default.

ATON REPORTING ONLINE ? Having Problems? [Email Support](#) Download the users guide [here](#)

[Aton](#) [Applications](#) [Failure Reports](#) [Reports](#) [Log Out](#) [About](#)

[View Aton Details](#) [Establish an Aton](#) [Alter selected Aton](#) [Disestablish selected Aton](#) [Print Blank Form](#) [Legend](#) [Aton](#)

Search for  in (All Fields)   Filter LLA AtoN

Drag a column header here to group

AtoN Number	ALLFS No.	Aton Name	Aton Type	AtoN Class Name	Longitude	Latitude	IALA Category	Organisation
1000.15	A1000.15	Demo Buoy No. 1	Lit Buoy	LLA	002°04.220'W	55°50.550'N	CAT 1	DEMO ORGANISA
1000.25	A1000.25	Demo Buoy No. 2	Lit Buoy	LLA	002°04.230'W	55°50.540'N	CAT 1	DEMO ORGANISA
1000.3B		Demo Buoy No. 1	Lit Buoy	LLA	003°01.470'W	56°01.040'N	CAT 2	DEMO ORGANISA
1000.35B		Demo Buoy No. 2	Lit Buoy	LLA	003°03.080'W	56°02.175'N	CAT 2	DEMO ORGANISA
1000.5A		Demo Buoy No. 1	Lit Buoy	LLA	003°03.080'W	56°02.175'N	CAT 3	DEMO ORGANISA
1012C		Demo Cable Marker	Cable Marker B	LLA	003°05.342'W	56°04.123'N	CAT 3	DEMO ORGANISA
1014.25	A1014.25	Demo Light	Light	LLA	003°05.200'W	56°02.784'N	CAT 2	DEMO ORGANISA
1010	A1010	Demo Sector Light	Sector Light	LLA	002°06.125'W	56°02.455'N	CAT 1	DEMO ORGANISA

Pages : 1

By logging in you are accepting the [Terms of Use](#) [Contact Us](#)

Northern Lighthouse Board, 84 George Street, Edinburgh, EH2 3DA, Tel: +44 131 4733100

- The search has returned all records of Aton Type 'Lit Buoy'

ATON REPORTING ONLINE ? Having Problems? [Email Support](#) Download the users guide [here](#)

[Aton](#) [Applications](#) [Failure Reports](#) [Reports](#) [Log Out](#) [About](#)

[View Aton Details](#) [Establish an Aton](#) [Alter selected Aton](#) [Disestablish selected Aton](#) [Print Blank Form](#) [Legend](#) [Aton](#)

Search for  in (All Fields)   Filter LLA AtoN

Drag a column header here to group by that column

AtoN Number	ALLFS No.	Aton Name	Aton Type	AtoN Class Name	Longitude	Latitude	IALA Category	Organisation
1000.3B		Demo Buoy No. 1	Lit Buoy	LLA	003°01.470'W	56°01.040'N	CAT 2	DEMO ORGANISA
1000.35B		Demo Buoy No. 2	Lit Buoy	LLA	003°03.080'W	56°02.175'N	CAT 2	DEMO ORGANISA

Pages : 1

By logging in you are accepting the [Terms of Use](#) [Contact Us](#)

Northern Lighthouse Board, 84 George Street, Edinburgh, EH2 3DA, Tel: +44 131 4733100

## 5. View an Aton Record

- To view details of your Aton, either double click on an Aton record in the grid, or highlight an Aton record in the grid and click the 'View Aton Details' button.
- Details of the selected Aton are displayed in 'Read Only' format.
- Note: a 'Save' button exists as NLB administrators can use this system if required and have escalated permissions to edit records. This is not available to standard users
- To close the Details page, use the 'Cancel' button or navigate to a different page.

ATON REPORTING ONLINE

Having Problems? [Email Support](#) Download the users guide [here](#)

Aton Applications Failure Reports Reports Log Out About

**Aton Details**

Aton Name: Demo Leading Lights, 241Deg, Rear

Aton Number: 1000.25 ALLFS No.: A1000.25

Aton Class Name: LLA IALA Category: CAT 1

Organisation: DEMO ORGANISATION Locality: Firth of Forth

Aton Type: Leading Light Aton Sub Type: None

Latitude: 55°50.540'N Longitude: 002°04.230'W

Attributes

Save Cancel

By logging in you are accepting the [Terms of Use](#) [Contact Us](#)

Northern Lighthouse Board, 84 George Street, Edinburgh, EH2 3DA, Tel: +44 131 4733100

- Note that all Aton records contain 'Attributes'. These are hidden by default, and can be viewed by expanding the form using the arrow icon indicated below

ATON REPORTING ONLINE

Having Problems? [Email Support](#) Download the users guide [here](#)

Aton Applications Failure Reports Reports Log Out About

**Aton Details**

Aton Name: Demo Leading Lights, 241Deg, Rear

Aton Number: 1000.25 ALLFS No.: A1000.25

Aton Class Name: LLA IALA Category: CAT 1

Organisation: DEMO ORGANISATION Locality: Firth of Forth

Aton Type: Leading Light Aton Sub Type: None

Latitude: 55°50.540'N Longitude: 002°04.230'W

Attributes

Light Character: F G Description of Light Structure:

Leading Line: 241 Nominal Range: 10.00

Height of Structure: 24 Height of Light above MHWS: 32

Reason:

Save Cancel

By logging in you are accepting the [Terms of Use](#) [Contact Us](#)

Northern Lighthouse Board, 84 George Street, Edinburgh, EH2 3DA, Tel: +44 131 4733100

Expand/Collapse

## 6. Application to establish an Aton

- Aton Reporting Online allows users to apply online to establish a new Aid to Navigation.
- To create an application for a new Aton, click on the 'Aton' button to open the Aton page, then the 'Establish an Aton' button. The following page is displayed.

The screenshot shows the 'Aton Reporting ONLINE' interface. At the top, there is a navigation bar with links for 'Aton', 'Applications', 'Failure Reports', 'Reports', 'Log Out', and 'About'. A help icon with a question mark is present, along with links for 'Having Problems? Email Support' and 'Download the users guide here'. The main content area is titled 'Aton Details' and contains several input fields and dropdown menus. The fields include: 'Aton Name' (text input), 'Aton Number' (text input), 'ALLFS No.' (text input), 'Aton Class Name' (dropdown menu), 'IALA Category' (dropdown menu), 'Organisation' (dropdown menu), 'Locality' (dropdown menu), 'Aton Type' (dropdown menu), 'Aton Sub Type' (dropdown menu), 'Latitude' (text input), and 'Longitude' (text input). Below these fields is an 'Attributes' section with 'Application Date' (29/09/2011) and 'Application Type' (Application for Establishment). A 'Reason for Application' text area is also present. At the bottom of the form are 'Save' and 'Cancel' buttons. The footer contains a 'Terms of Use' link and a 'Contact Us' link.

- Complete the application form, noting that some fields need to be selected before others in order to populate some of the drop lists on the form
- Also note that as you populate certain fields, other fields will appear depending on your selections.
- Once you have completed the form, click the 'Save' button.
- Your application will be saved to the NLB database and will be processed by NLB Navigation department staff.

## 7. Application to alter an Aton

- Aton Reporting Online allows users to apply online to alter an existing Aid to Navigation.
- To create an application to alter an existing Aton, click on the 'Aton' button to open the Aton page, then select the Aton you wish to alter in the grid and click on the 'Alter selected Aton' button. The following page is displayed.

The screenshot shows the 'Aton Reporting ONLINE' interface. At the top, there is a navigation bar with 'Aton', 'Applications', 'Failure Reports', 'Reports', 'Log Out', and 'About'. A help icon and links for 'Email Support' and 'Download the users guide here' are also present. The main content area is titled 'Aton Details' and contains several input fields: 'Aton Name' (Demo Leading Lights, 241Deg, Rear), 'Aton Number' (1000.25), 'ALLFS No.' (A1000.25), 'Aton Class Name' (LLA), 'IALA Category' (CAT 1), 'Organisation' (DEMO ORGANISATION), 'Locality' (Firth of Forth), 'Aton Type' (Leading Light), and 'Aton Sub Type' (None). Below these are 'Latitude' (55°50.540'N) and 'Longitude' (002°04.230'W). An 'Attributes' section is partially visible. Under 'Application Details', the 'Application Date' is 29/09/2011 15:46:09 and the 'Application Type' is 'Application for Alteration'. A large text box is provided for 'Enter a descriptive text of the Aton changes that you require here.' At the bottom of the form are 'Save' and 'Cancel' buttons. The footer contains the text 'By logging in you are accepting the Terms of Use' and 'Contact Us', along with the address: 'Northern Lighthouse Board, 84 George Street, Edinburgh, EH2 3DA, Tel: +44 131 4733100'.

- Note that all the fields on this form are 'Read Only'
- Enter the details of the proposed alteration in the text box and click 'Save'
- Your application will be saved to the NLB database and will be processed by NLB Navigation department staff.

## 8. Application to discontinue an Aton

- An Application to Discontinue and Aton is exactly the same as making an application to alter.
- Select the Aton to be discontinued in the grid and click on the 'Disestablish selected Aton' button.
- Complete the textbox giving the reason for discontinuing the Aton, then click 'Save'
- Your application will be saved to the NLB database and will be processed by NLB Navigation department staff.

## 9. Print a blank application form to Establish/Alter an Aton

- This feature allows users to print a blank form for manual application to Establish or Alter and Aton.
- Click on the 'Print Blank Form' button to print the blank application document, then complete the form and send it to the Northern Lighthouse Board. The address can be found by clicking on the 'About' button on the home page.

## 10.Applications

- The Aton Reporting Online system allows users to view all Applications made by their organisation to establish, alter or discontinue aids to navigation.
- Use the 'Legend' button on the main menu to interpret the specific colours applied to the grid records.

ATON REPORTING ONLINE ? Having Problems? [Email Support](#) Download the users guide [here](#)

Aton Applications Failure Reports Reports Log Out About

View the Application Show Legend Applications

Drag a column header here to group by that column

AtoN Number	AtoN All Number	AtoN Name	Aton Application Sta	Port/Area Name	Aton Type	Sector Range	Character	Sectors
1000.4B		Demo Buoy No. 2	Application to Dis	Firth of Forth	Unlit Buoy			
		Jon 1	Application to Alt	Johnshaven	Light			
1010	A1010	Demo Sector Lig	Application to Alt	Fisherrow	Sector Light	W8; R6; G6	Iso WRG 8s	R104-120(16); W
1014.25	A1014.25	Demo Light	Application to Est	Firth of Forth	Light	4	Fl G 3s	
1012C		Demo Cable Mar	Application to Est	Firth of Forth	Cable Marker Box		Fl Y 5s	
1000.5A		Demo Buoy No. 2	Application to Est	Firth of Forth	AIS			
1000.3B		Demo Buoy No. 2	Application to Est	Firth of Forth	Lit Buoy		Q R	
1000.35B		Demo Buoy No. 2	Application to Est	Firth of Forth	Lit Buoy		Fl Y 5s	
1000.15	A1000.15	Demo Leading Lig	Application to Est	Firth of Forth	Leading Light		F G	
1000.25	A1000.25	Demo Leading Lig	Application to Est	Firth of Forth	Leading Light		F G	
		DA 12 - Harbour	Application to Dis	Firth of Forth	Unlit Buoy		Unlit	
		DA 11 - Harbour	Application to Dis	Firth of Forth	Leading Light		Iso R 4s (Synche	
		DA 10 - Harbour	Application to Dis	Firth of Forth	Leading Light		Iso R 4s	
		DA 13 - Harbour	Application to Dis	Firth of Forth	Unlit Buoy		Unlit	

- To view application record details, either double click on a selected grid record, or highlight the record and click the 'View the Application' button.
- Applications are displayed 'Read Only' and cannot be edited.

ATON REPORTING ONLINE ? Having Problems? [Email Support](#) Download the users guide [here](#)

Aton Applications Failure Reports Reports Log Out About

**Aton Details**

Aton Name: Demo Light

AtoN Number: 1014.25 ALLFS No.: A1014.25

AtoN Class Name: LLA IALA Category: CAT 2

Organisation: DEMO ORGANISATION Locality: Firth of Forth

Aton Type: Light Aton Sub Type: None

Latitude: 56°02.784'N Longitude: 003°05.200'W

**Attributes**

Light Character: Fl G 3s Description of Light Structure:

Height of Structure: 8 Nominal Range: 4.00

Height of Light above MHWS: 10

Reason: Occasional

**Application Details**

Application Date: 30/09/2011 11:43:41 Application Type: Application for Establishment

Reason for Application:

Setup By System Administrator

Save Cancel

By logging in you are accepting the [Terms of Use](#) Contact Us

Northern Lighthouse Board, 84 George Street, Edinburgh, EH2 3DA, Tel: +44 131 4733100

## 11.Failure Reports

- View Failure Reports

To view all failure logged against the logged in user's organisation, select 'Failure Reports' from the top menu bar.

To view individual failure records, either double click on a selected grid record, or highlight the record and click the 'View Report' button.

ATON REPORTING ONLINE ? Having Problems? [Email Support](#) Download the users guide [here](#)

Aton Applications Failure Reports Reports Log Out About

View Report New Report Delete Report Failure Reports

Search for  in (All Fields) Search Clear

Drag a column header here to group by that column

ALLFS No.	AtoN Name	Date Failed	Date Restored	Failure Reason	Created By
	Jon 1	21/10/2010 12:00:00	25/10/2010 13:00:00	Out of Position	demouser
	DA 09 - Harbour Approach	05/06/2009 08:00:00	07/06/2009 16:00:00	Irregular	Archie Johnstone
	DA 05 - Channel Port Buoy	04/06/2009 08:00:00	06/06/2009 16:00:00	Out of Position	Archie Johnstone
	DA 08 - Harbour Approach	04/06/2009 00:00:00	06/06/2009 00:00:00	Out of Position	Archie Johnstone
	DA 01 - Headland Spit	22/05/2009 08:00:00	23/05/2009 16:00:00	Daymark/Topmark	Archie Johnstone
	DA 01 - Headland Spit	01/05/2009 08:00:00	03/05/2009 16:00:00	Daymark/Topmark	Archie Johnstone
	DA 11 - Harbour Lead (Fro	09/10/2008 12:00:00	30/09/2009 12:00:00	Out of Position	demouser

Pages : 1

By logging in you are accepting the [Terms of Use](#) Contact Us

Northern Lighthouse Board,84 George Street, Edinburgh, EH2 3DA,Tel: +44 131 4733100

- Log a new Failure Report

To open the New Report form, click on the 'New Report' button.

ATON REPORTING ONLINE ? Having Problems? [Email Support](#) Download the users guide [here](#)

Aton Applications Failure Reports Reports Log Out About

Failure Reports

LLA Organisation DEMO ORGANISATION

Aton Demo Buoy No. 1

Report reason Extinguished

Failure Time 30/09/2011 11:53

Restore Time 00:00

Status

Comment

Save Cancel

By logging in you are accepting the [Terms of Use](#) Contact Us

Northern Lighthouse Board,84 George Street, Edinburgh, EH2 3DA,Tel: +44 131 4733100

- Note that the Organisation field is automatically set to the logged in user's organisation.
- A failure record can be cumulative, i.e the record can be created, saved and edited as required. Cumulative notes can be added to track progress on repair.
- A failure record cannot be approved by NLB until a restored time is logged.
- Records added in error (eg duplicates) can be deleted by the user provided they have not been approved by NLB
- Once approved, the record can no longer be edited or deleted.

## 12. Reports

- Aton Reporting Online provides seven fixed parameterised reports.
- To access the reports, click on the 'Reports' button on the top menu bar.

The screenshot shows the ATON REPORTING ONLINE interface. At the top, there is a navigation bar with 'Aton', 'Applications', 'Failure Reports', 'Reports', 'Log Out', and 'About'. Below this is a sub-header 'Run the selected Report' and 'Reports'. The main content area is a table with two columns: 'ReportTitle' and 'ReportDescription'. The table lists seven reports, with 'Aids by Authority' selected. Below the table, there is a 'Pages: 1' indicator and a footer with contact information for Northern Lighthouse Board.

ReportTitle	ReportDescription
Aids by Authority	This report allows the user to print a list of Aton owned/operated by their Authority
Inspection Records	This report allows the user to print a history of Aton Inspections. Records can be selected based on Date Range.
Failure Records	This report allows the user to print a history of Aton Failures. Records can be selected based on Failure Type and Date Range.
Sanction to Establish / Alter an AtoN	This report allows the user to print an Application Form to alter an existing AtoN or establish a new Aid. If no criteria is entered, the report will show all AtoNs.
AtoN Availability by Category	This report allows the user to produce AtoN Availability Statistics, grouped by IALA Category
AtoN Availability by AtoN	This report allows the user to get Availability Statistics for each individual Aid.
Sanction to Discontinue an AtoN	This report allows the user to print an Application Form to discontinue an existing Aid.

- To run a report, either double click on a selected grid record, or highlight the record and click the 'Run the selected Report' button
- This guide provides one example of running a report. The selected report is 'Aton Availability by Category'
- The following criteria screen is displayed.

The screenshot shows the ATON ONLINE interface for the 'AtoN Availability by Category' report. The main content area is a form with the following fields: 'Filter' (set to 'LLA AtoN'), 'From Date' (set to '30/09/2008'), 'To Date' (set to '30/09/2011'), and a checkbox for 'This option allows you to include Third Party AtoN'. Below the form are 'Run Report' and 'Cancel' buttons. The footer contains contact information for Northern Lighthouse Board.

- The 'Filter' field displays the selected Organisation type, for example LLA, GLA, Offshore, Aquaculture. Normally a logged in user belongs to only one type of organisation, thus this field is pre set.
- The Date Range is set to a default of three years back from the current date to conform to statutory reporting requirements, however, the date range can be set by the user as required for the report.
- The report includes an option to include/exclude any third party Aton under the logged in organisation's jurisdiction.
- Click 'Run Report' to view the report.



## Aton Availability By Category

IALA Category	No Of Aids	Total Hours	No Of Failures	OOS Hours	MTTR	MTBF	Availability	Target Availability
<b>DEMO ORGANISATION</b>								
CAT 1	4	64,260	1	97:00	24:15	64260:00	99.91 %	99.80 %
CAT 2	3	35,172	0	0:00	0:00	0:00	100.00 %	99.00 %
CAT 3	2	18,816	0	0:00	0:00	0:00	100.00 %	97.00 %
No Category	0	0	0	0:00	0:00	0:00	0.00 %	0.00 %
<b>Totals</b>	<b>9</b>							

**Criteria:**

Date Range from [30/09/2008 to 30/09/2011]  
 Third party Organisations are not included.  
 Organisations [DEMO ORGANISATION].  
 Filter [LLA AtoN].  
 User [demouser] belonging to Organisation(s) [DEMO ORGANISATION]

- The report data can be exported to another format such as Microsoft Excel. Select your preferred format from the 'Export' drop list.
- 



## Aton Availability By Category

- Select a format
- Select a format
- XML file with report data
- CSV (comma delimited)
- TIFF file
- Acrobat (PDF) file
- Web archive
- Excel

IALA Category	No Of Aids	Total Hours	No Of Failures	OOS Hours	MTTR	MTBF	Availability	Target Availability
<b>DEMO ORGANISATION</b>								
CAT 1	4	64,260	1	97:00	24:15	64260:00	99.91 %	99.80 %
CAT 2	3	35,172	0	0:00	0:00	0:00	100.00 %	99.00 %
CAT 3	2	18,816	0	0:00	0:00	0:00	100.00 %	97.00 %
No Category	0	0	0	0:00	0:00	0:00	0.00 %	0.00 %
<b>Totals</b>	<b>9</b>							

**Criteria:**

Date Range from [30/09/2008 to 30/09/2011]  
 Third party Organisations are not included.  
 Organisations [DEMO ORGANISATION].  
 Filter [LLA AtoN].  
 User [demouser] belonging to Organisation(s) [DEMO ORGANISATION]

- Your data will be exported to an excel document at selected location on your PC.

### **13.NLB Navigation Support**

Northern Lighthouse Board.  
84 George Street  
Edinburgh  
EH2 3DA

NLB Navigation Support.  
Phone: 0131 473 3100 ext. 197 or 431  
Email: [Navigation@NLB.org.uk](mailto:Navigation@NLB.org.uk)